













LOT NKK1DX2324 AC344  
EPA EST. NO. 264 MO 003

**RESTRICTED USE PESTICIDE**

Due to Toxicity to Fish and Aquatic Organisms  
This pesticide is restricted under the FIFRA Act.

10/14/14 10:04 AM  
10/14/14 10:04 AM

NET CONTENTS: 1 GALLON

**RESTRICTED USE PESTICIDE**  
EPA REG. NO. 101-108-01  
EPA EST. NO. 101-108-01



# BAYTHROID XL

Net Contents  
**1 Gallon**

For control of certain insect pests on food, ornamental, trees and vine crops.

**ACTIVE INGREDIENTS:** (Percent)  
Baythroid XL (lambda-cyhalothrin) 12.75%  
**INERT INGREDIENTS:** 87.25%  
Contains 1.05 fl. oz. per gallon  
(This volume contains separate pesticide distribution.)  
EPA Reg. No. 101-108-01

**KEEP OUT OF REACH OF CHILDREN  
WARNING AVISO**

Use only as directed. Do not use on food crops.  
Do not use on ornamentals, trees and vine crops.  
Do not use on lawns, golf courses, tennis courts, etc.  
Do not use on lawns, golf courses, tennis courts, etc.  
Do not use on lawns, golf courses, tennis courts, etc.  
Do not use on lawns, golf courses, tennis courts, etc.

**STOP - Read the label before use.**



011 0753740 12953 1

© 2011 Bayer CropScience LP  
111 Star Line, St. Louis, MO 63103  
Bayer CropScience LP, a subsidiary of Bayer AG  
Bayer AG, 35000 Leverkusen, Germany  
Bayer CropScience LP, a subsidiary of Bayer AG  
Bayer CropScience LP, a subsidiary of Bayer AG

DOC 102214 4092 0101  
10-22-14  
LEA

**RESTRICTED USE PESTICIDE**  
Due to toxicity to fish and aquatic organisms.  
For retail sale to and use only by Certified Applicators or persons under their direct supervision  
and only for those uses covered by the Certified Applicator's certification.



# BAYTHROID®

Net Contents:  
**1 Gallon**

GROUP 16 INSECTICIDE

For control of certain insect pests on field,  
vegetable, tree and vine crops.

**ACTIVE INGREDIENT:** fl-cyfluthrin  
Cyano-4-threo-3-pyrosophenylisothrin-3,1,2-dichloro-  
ethanol-2,2-dimethyl cyclopropanecarboxylate  
**INERT INGREDIENTS** 87.30%  
Contains 1 lb fl-cyfluthrin per gallon 100.00%  
(This product contains aromatic petroleum distillates.)

EPA Reg. No. 294-940

**STOP - Read the label before use**

**KEEP OUT OF REACH OF CHILDREN  
WARNING AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se  
la explique a usted en detalle. (If you do not understand the  
label, find someone to explain it to you in detail.)  
FOR ADDITIONAL PRECAUTIONARY STATEMENTS  
See Inside Backleaf.

For **PRODUCT USE** information Call 1-866-9BAYER  
1-866-992-2937  
For **MEDICAL AND TRANSPORTATION Emergencies ONLY**  
Call 24 Hours A Day 1-800-334-7577

Produced for  
Bayer CropScience LLP  
P.O. Box 12014, 271W Alexander Drive  
Research Triangle Park, North Carolina 27709  
BAYTHROID is a registered trademark of Bayer  
©2011 Bayer CropScience  
Product of India

507544876



DOC 102214 4092 0101  
10-22-14  
LEA

### Spray Drift Requirements

#### Wind Direction and Speed

Do not apply this product if the wind direction is toward the sensitive area.

Do not apply this product if the wind speed is greater than 10 mph.

#### Temperature Inversion

Do not apply this product if a temperature inversion is present.

Do not apply this product if the wind speed and temperature inversion height are such that the product will drift into the sensitive area. Do not apply this product if the wind speed and temperature inversion height are such that the product will drift into the sensitive area.

#### Droplet Size

Do not apply this product if the droplet size is such that the product will drift into the sensitive area. Do not apply this product if the droplet size is such that the product will drift into the sensitive area.

#### Additional Requirements for Ground Applications

Do not apply this product if the application rate is such that the product will drift into the sensitive area. Do not apply this product if the application rate is such that the product will drift into the sensitive area.

#### Additional Requirements for Aerial Applications

Do not apply this product if the application rate is such that the product will drift into the sensitive area. Do not apply this product if the application rate is such that the product will drift into the sensitive area.

#### RUNOFF MANAGEMENT

Do not apply this product if the application rate is such that the product will drift into the sensitive area. Do not apply this product if the application rate is such that the product will drift into the sensitive area.

#### INSECT RESISTANCE STATEMENT

Do not apply this product if the application rate is such that the product will drift into the sensitive area. Do not apply this product if the application rate is such that the product will drift into the sensitive area.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product if the application rate is such that the product will drift into the sensitive area. Do not apply this product if the application rate is such that the product will drift into the sensitive area.

### DIRECTIONS FOR USE Restricted Use Pesticide

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not apply this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.

### AGRICULTURAL USE REQUIREMENTS

Do not apply this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not apply this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.

Do not apply this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not apply this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.

Do not apply this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not apply this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.

Do not apply this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not apply this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.

### STORAGE AND DISPOSAL

Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.

Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.

Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.

Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.

Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.

Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.

Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.

Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment. Do not store this product in a way that causes injury to humans or animals, or that causes damage to property or the environment.







DOC 102214 4092 0101  
 10-22-14  
 LEA

**CORN - Soil Applications**  
 Field Corn, Popcorn, Seed Corn, Tensate (see Sweet Corn recommendation in Vegetable Crop Section)

PESTS CONTROLLED	Rate fluid oz/1000 row-ft	Rate** fluid oz/Acre
Whitefly	0.50	0.50
Worm	0.50	0.50
<b>PEST SUPPRESSED</b>		
Worm	0.50	0.50

**Notes and Restrictions:**  
 \*\*Maximum application rate is 0.50 fluid oz/Acre. 0 day.  
 Maximum application rate is 0.50 fluid oz/Acre. 0 day.  
**APPLICATION INSTRUCTIONS:** Apply 0.50 fluid oz/Acre of product to soil in the row between plants at planting.

**INSTRUCTIONS FOR LIQUID POP-UP FERTILIZER APPLICATION:** Apply 0.50 fluid oz/Acre of product to soil in the row between plants at planting. Do not apply to soil in the row between plants at planting. Do not apply to soil in the row between plants at planting.

**PLACEMENT:** Apply 0.50 fluid oz/Acre of product to soil in the row between plants at planting. Do not apply to soil in the row between plants at planting. Do not apply to soil in the row between plants at planting.

**COTTON**

PESTS CONTROLLED	Rate fluid oz/Acre	Rate lb/Acre
Whitefly	0.50	0.50
Worm	0.50	0.50
<b>PEST SUPPRESSED</b>		
Worm	0.50	0.50

**Notes and Restrictions:**  
 \*\*Maximum application rate is 0.50 fluid oz/Acre. 0 day.  
 Maximum application rate is 0.50 fluid oz/Acre. 0 day.  
**APPLICATION INSTRUCTIONS:** Apply 0.50 fluid oz/Acre of product to soil in the row between plants at planting.

DOC 102214 4092 0101  
 10-22-14  
 LEA

GRASS			
Pasture / Rangeland - Grass for Seed - Grass for Hay - Grass in mixed stands with Alfalfa			
PESTS CONTROLLED	Rate (fluid oz/Acres)	Rate (lb AI/Acres)	
1. <i>Chlorophanes</i>			
2. <i>Chlorophanes</i>			
3. <i>Chlorophanes</i>			
4. <i>Chlorophanes</i>			
5. <i>Chlorophanes</i>			
6. <i>Chlorophanes</i>			
7. <i>Chlorophanes</i>			
8. <i>Chlorophanes</i>			
9. <i>Chlorophanes</i>			
10. <i>Chlorophanes</i>			
11. <i>Chlorophanes</i>			
12. <i>Chlorophanes</i>			
13. <i>Chlorophanes</i>			
14. <i>Chlorophanes</i>			
15. <i>Chlorophanes</i>			
16. <i>Chlorophanes</i>			
17. <i>Chlorophanes</i>			
18. <i>Chlorophanes</i>			
19. <i>Chlorophanes</i>			
20. <i>Chlorophanes</i>			
21. <i>Chlorophanes</i>			
22. <i>Chlorophanes</i>			
23. <i>Chlorophanes</i>			
24. <i>Chlorophanes</i>			
25. <i>Chlorophanes</i>			
26. <i>Chlorophanes</i>			
27. <i>Chlorophanes</i>			
28. <i>Chlorophanes</i>			
29. <i>Chlorophanes</i>			
30. <i>Chlorophanes</i>			
31. <i>Chlorophanes</i>			
32. <i>Chlorophanes</i>			
33. <i>Chlorophanes</i>			
34. <i>Chlorophanes</i>			
35. <i>Chlorophanes</i>			
36. <i>Chlorophanes</i>			
37. <i>Chlorophanes</i>			
38. <i>Chlorophanes</i>			
39. <i>Chlorophanes</i>			
40. <i>Chlorophanes</i>			
41. <i>Chlorophanes</i>			
42. <i>Chlorophanes</i>			
43. <i>Chlorophanes</i>			
44. <i>Chlorophanes</i>			
45. <i>Chlorophanes</i>			
46. <i>Chlorophanes</i>			
47. <i>Chlorophanes</i>			
48. <i>Chlorophanes</i>			
49. <i>Chlorophanes</i>			
50. <i>Chlorophanes</i>			
51. <i>Chlorophanes</i>			
52. <i>Chlorophanes</i>			
53. <i>Chlorophanes</i>			
54. <i>Chlorophanes</i>			
55. <i>Chlorophanes</i>			
56. <i>Chlorophanes</i>			
57. <i>Chlorophanes</i>			
58. <i>Chlorophanes</i>			
59. <i>Chlorophanes</i>			
60. <i>Chlorophanes</i>			
61. <i>Chlorophanes</i>			
62. <i>Chlorophanes</i>			
63. <i>Chlorophanes</i>			
64. <i>Chlorophanes</i>			
65. <i>Chlorophanes</i>			
66. <i>Chlorophanes</i>			
67. <i>Chlorophanes</i>			
68. <i>Chlorophanes</i>			
69. <i>Chlorophanes</i>			
70. <i>Chlorophanes</i>			
71. <i>Chlorophanes</i>			
72. <i>Chlorophanes</i>			
73. <i>Chlorophanes</i>			
74. <i>Chlorophanes</i>			
75. <i>Chlorophanes</i>			
76. <i>Chlorophanes</i>			
77. <i>Chlorophanes</i>			
78. <i>Chlorophanes</i>			
79. <i>Chlorophanes</i>			
80. <i>Chlorophanes</i>			
81. <i>Chlorophanes</i>			
82. <i>Chlorophanes</i>			
83. <i>Chlorophanes</i>			
84. <i>Chlorophanes</i>			
85. <i>Chlorophanes</i>			
86. <i>Chlorophanes</i>			
87. <i>Chlorophanes</i>			
88. <i>Chlorophanes</i>			
89. <i>Chlorophanes</i>			
90. <i>Chlorophanes</i>			
91. <i>Chlorophanes</i>			
92. <i>Chlorophanes</i>			
93. <i>Chlorophanes</i>			
94. <i>Chlorophanes</i>			
95. <i>Chlorophanes</i>			
96. <i>Chlorophanes</i>			
97. <i>Chlorophanes</i>			
98. <i>Chlorophanes</i>			
99. <i>Chlorophanes</i>			
100. <i>Chlorophanes</i>			

PLANU			
PESTS CONTROLLED			
	Rate (fluid oz/Acres)	Rate (lb AI/Acres)	
1. <i>Chlorophanes</i>			
2. <i>Chlorophanes</i>			
3. <i>Chlorophanes</i>			
4. <i>Chlorophanes</i>			
5. <i>Chlorophanes</i>			
6. <i>Chlorophanes</i>			
7. <i>Chlorophanes</i>			
8. <i>Chlorophanes</i>			
9. <i>Chlorophanes</i>			
10. <i>Chlorophanes</i>			
11. <i>Chlorophanes</i>			
12. <i>Chlorophanes</i>			
13. <i>Chlorophanes</i>			
14. <i>Chlorophanes</i>			
15. <i>Chlorophanes</i>			
16. <i>Chlorophanes</i>			
17. <i>Chlorophanes</i>			
18. <i>Chlorophanes</i>			
19. <i>Chlorophanes</i>			
20. <i>Chlorophanes</i>			
21. <i>Chlorophanes</i>			
22. <i>Chlorophanes</i>			
23. <i>Chlorophanes</i>			
24. <i>Chlorophanes</i>			
25. <i>Chlorophanes</i>			
26. <i>Chlorophanes</i>			
27. <i>Chlorophanes</i>			
28. <i>Chlorophanes</i>			
29. <i>Chlorophanes</i>			
30. <i>Chlorophanes</i>			
31. <i>Chlorophanes</i>			
32. <i>Chlorophanes</i>			
33. <i>Chlorophanes</i>			
34. <i>Chlorophanes</i>			
35. <i>Chlorophanes</i>			
36. <i>Chlorophanes</i>			
37. <i>Chlorophanes</i>			
38. <i>Chlorophanes</i>			
39. <i>Chlorophanes</i>			
40. <i>Chlorophanes</i>			
41. <i>Chlorophanes</i>			
42. <i>Chlorophanes</i>			
43. <i>Chlorophanes</i>			
44. <i>Chlorophanes</i>			
45. <i>Chlorophanes</i>			
46. <i>Chlorophanes</i>			
47. <i>Chlorophanes</i>			
48. <i>Chlorophanes</i>			
49. <i>Chlorophanes</i>			
50. <i>Chlorophanes</i>			
51. <i>Chlorophanes</i>			
52. <i>Chlorophanes</i>			
53. <i>Chlorophanes</i>			
54. <i>Chlorophanes</i>			
55. <i>Chlorophanes</i>			
56. <i>Chlorophanes</i>			
57. <i>Chlorophanes</i>			
58. <i>Chlorophanes</i>			
59. <i>Chlorophanes</i>			
60. <i>Chlorophanes</i>			
61. <i>Chlorophanes</i>			
62. <i>Chlorophanes</i>			
63. <i>Chlorophanes</i>			
64. <i>Chlorophanes</i>			
65. <i>Chlorophanes</i>			
66. <i>Chlorophanes</i>			
67. <i>Chlorophanes</i>			
68. <i>Chlorophanes</i>			
69. <i>Chlorophanes</i>			
70. <i>Chlorophanes</i>			
71. <i>Chlorophanes</i>			
72. <i>Chlorophanes</i>			
73. <i>Chlorophanes</i>			
74. <i>Chlorophanes</i>			
75. <i>Chlorophanes</i>			
76. <i>Chlorophanes</i>			
77. <i>Chlorophanes</i>			
78. <i>Chlorophanes</i>			
79. <i>Chlorophanes</i>			
80. <i>Chlorophanes</i>			
81. <i>Chlorophanes</i>			
82. <i>Chlorophanes</i>			
83. <i>Chlorophanes</i>			
84. <i>Chlorophanes</i>			
85. <i>Chlorophanes</i>			
86. <i>Chlorophanes</i>			
87. <i>Chlorophanes</i>			
88. <i>Chlorophanes</i>			
89. <i>Chlorophanes</i>			
90. <i>Chlorophanes</i>			
91. <i>Chlorophanes</i>			
92. <i>Chlorophanes</i>			
93. <i>Chlorophanes</i>			
94. <i>Chlorophanes</i>			
95. <i>Chlorophanes</i>			
96. <i>Chlorophanes</i>			
97. <i>Chlorophanes</i>			
98. <i>Chlorophanes</i>			
99. <i>Chlorophanes</i>			
100. <i>Chlorophanes</i>			

**Notes and Restrictions**  
 1. Minimum 14 days (minimum time between final application and threshing for seed)  
 2. Maximum 2.8 fluid oz/A (0.022 lb AI/Acre)  
 3. Maximum 11.3 fluid oz/A (0.089 lb AI/Acre)  
 4. Maximum 2.8 fluid oz/A (0.022 lb AI/Acre)  
 5. Maximum 11.3 fluid oz/A (0.089 lb AI/Acre)





DOC 102214 4092 0101  
 10-22-14  
 LEA

**CUCURBITS (except crops grown for seed)**  
 Includes all members of Crop Group 9

Balsam apple, Balsam pear, Bitter melon, Chayote, Chinese cucumber, Chinese watermelon (Chinese preserving melon), Citrus melon, Cucurbit, Cucumber, Edible gourd (includes hyacinth, cucurbit, henchma and Chinese okra), Muskmelon (includes cantaloupe, true cantaloupe, casaba, crenshaw, melon, golden pershaw melon, honeydew melon, honey balls, mango melon, Persian melon, pineapple melon, Santa Claus melon and snake melon), Pumpkin, Summer squash (includes crookneck squash, scallop squash, straightneck squash, vegetable marrow and zucchini), Watermelon, Winter squash (includes butternut squash, calabaza, Hubbard squash, acorn squash and spaghetti squash)

	PESTS CONTROLLED	Rate (fluid oz/Acre)	Rate (lb AI/Acre)
Carbaryl	Carbaryl water spray	1.0-2.0	0.025-0.050
Chlorpyrifos	Chlorpyrifos	0.5-1.0	0.0125-0.025
Imidacloprid	Imidacloprid	0.5-1.0	0.0125-0.025
Permethrin	Permethrin	0.5-1.0	0.0125-0.025
Spinosad	Spinosad	0.5-1.0	0.0125-0.025
Thiamethoxam	Thiamethoxam	0.5-1.0	0.0125-0.025
Trifluralin	Trifluralin	0.5-1.0	0.0125-0.025

**PESTS SUPPRESSED**

Notes and Restrictions:  
 Maximum application rate: 0 day  
 Maximum AI/Acre: 0.025 lb AI/Acre (0.022 lb AI/Acre)  
 Maximum AAT/Acre: 1.0 lb AAT/Acre (0.88 lb AI/Acre)

**FRUITING VEGETABLES**  
 Includes all members of Crop Group 8

Eggplant, Groundcherry, Pepper, Pepper (includes bell pepper, chili pepper, cooking pepper, pimento, sweet pepper), Tomatillo, and Tomato

	PESTS CONTROLLED	Rate (fluid oz/Acre)	Rate (lb AI/Acre)
Carbaryl	Carbaryl water spray	1.0-2.0	0.025-0.050
Chlorpyrifos	Chlorpyrifos	0.5-1.0	0.0125-0.025
Imidacloprid	Imidacloprid	0.5-1.0	0.0125-0.025
Permethrin	Permethrin	0.5-1.0	0.0125-0.025
Spinosad	Spinosad	0.5-1.0	0.0125-0.025
Thiamethoxam	Thiamethoxam	0.5-1.0	0.0125-0.025
Trifluralin	Trifluralin	0.5-1.0	0.0125-0.025

**PESTS SUPPRESSED**

Notes and Restrictions:  
 Maximum application rate: 0 day  
 Maximum AI/Acre: 0.025 lb AI/Acre (0.022 lb AI/Acre)  
 Maximum AAT/Acre: 1.0 lb AAT/Acre (0.88 lb AI/Acre)

**FRUITING VEGETABLES (continued)**

	PESTS CONTROLLED	Rate (fluid oz/Acre)	Rate (lb AI/Acre)
Carbaryl	Carbaryl water spray	1.0-2.0	0.025-0.050
Chlorpyrifos	Chlorpyrifos	0.5-1.0	0.0125-0.025
Imidacloprid	Imidacloprid	0.5-1.0	0.0125-0.025
Permethrin	Permethrin	0.5-1.0	0.0125-0.025
Spinosad	Spinosad	0.5-1.0	0.0125-0.025
Thiamethoxam	Thiamethoxam	0.5-1.0	0.0125-0.025
Trifluralin	Trifluralin	0.5-1.0	0.0125-0.025

**PESTS SUPPRESSED**

Notes and Restrictions:  
 Maximum application rate: 0 day  
 Maximum AI/Acre: 0.025 lb AI/Acre (0.022 lb AI/Acre)  
 Maximum AAT/Acre: 1.0 lb AAT/Acre (0.88 lb AI/Acre)

**LEAFY VEGETABLES**  
 Includes all members of Crop Group 4

Amaranth (Chinese spinach), Arugula (rocket), Cardoon, Celery, Chinese celery, Celuce, Chervil, Chrysanthemum (edible-leaved and garden), Corn salad, Cress (garden and upland), Dandelion, Dock (sorrel), Endive (escarole), Florence fennel, Lettuce (head and leaf), New Zealand spinach, Orach, Parsley, Purslane (garden and winter), Reticchio (red chicory), Rhubarb, Spinach, Swiss chard, Vine spinach

	PESTS CONTROLLED	Rate (fluid oz/Acre)	Rate (lb AI/Acre)
Carbaryl	Carbaryl water spray	1.0-2.0	0.025-0.050
Chlorpyrifos	Chlorpyrifos	0.5-1.0	0.0125-0.025
Imidacloprid	Imidacloprid	0.5-1.0	0.0125-0.025
Permethrin	Permethrin	0.5-1.0	0.0125-0.025
Spinosad	Spinosad	0.5-1.0	0.0125-0.025
Thiamethoxam	Thiamethoxam	0.5-1.0	0.0125-0.025
Trifluralin	Trifluralin	0.5-1.0	0.0125-0.025

**PESTS SUPPRESSED**

Notes and Restrictions:  
 Maximum application rate: 0 day  
 Maximum AI/Acre: 0.025 lb AI/Acre (0.022 lb AI/Acre)  
 Maximum AAT/Acre: 1.0 lb AAT/Acre (0.88 lb AI/Acre)











DOC 102214 4092 0101  
 10-22-14  
 LEA

**RATE CONVERSION CHART**

FLUID OZ PER ACRE	LB AI PER ACRE	ACRES PER GALLON
0.8	0.0065	160
1.0	0.0081	125
1.2	0.0097	100
1.4	0.0114	80
1.6	0.0130	65
1.8	0.0146	55
2.0	0.0163	48
2.2	0.0179	43
2.4	0.0195	39
2.6	0.0212	36
2.8	0.0228	34
3.0	0.0244	32
3.2	0.0261	30
3.4	0.0277	29
3.6	0.0293	28
3.8	0.0310	27
4.0	0.0326	26
4.2	0.0342	25
4.4	0.0359	24
4.6	0.0375	24
4.8	0.0391	23
5.0	0.0408	23
5.2	0.0424	22
5.4	0.0440	22
5.6	0.0457	21
5.8	0.0473	21
6.0	0.0489	21
6.2	0.0506	20
6.4	0.0522	20
6.6	0.0538	20
6.8	0.0554	19
7.0	0.0571	19
7.2	0.0587	19
7.4	0.0603	18
7.6	0.0620	18
7.8	0.0636	18
8.0	0.0652	18
8.2	0.0668	17
8.4	0.0685	17
8.6	0.0701	17
8.8	0.0717	17
9.0	0.0733	16
9.2	0.0750	16
9.4	0.0766	16
9.6	0.0782	16
9.8	0.0798	15
10.0	0.0815	15

**IMPORTANT READ BEFORE USE**

Read the entire label and directions for use. Conditions of Use, Warranties, and Limitations of Liability are printed on the back of this label. If you are unable to read the directions for use, please contact your local distributor for assistance.

Do not use this product unless you have accepted the following conditions, Warranties, and Limitations of Liability.

**CONDITIONS:** The conditions for use of this product are listed on the label and must be followed carefully. Deviation from these conditions may result in loss of efficacy and/or injury to the user of this product. Any injury, death, illness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, or in which are beyond the control of Bayer CropScience. All crop risks shall be assumed by the user of this product.

**DISCLAIMER OF WARRANTIES:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSOURCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE THAT EXTENDS BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. THIS STATEMENT IS CONSISTENT WITH APPLICABLE LAW. BAYER CROPSOURCE AND BAYER AG DISCLAIM LIABILITY FOR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

**LIMITATIONS OF LIABILITY:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, DAMAGES OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER CONTRACTUAL, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID OR AT BAYER CROPSOURCE'S OPTION, THE REPLACEMENT OF PRODUCT.